

You're at risk of getting SHINGLES

Over 99% of adults over 50

already have the virus that causes shingles inside them.

Not everyone at risk will develop shingles.

Who is <mark>at risk</mark> for shingles?

If you're over 50, you're at risk. Shingles is caused by the same virus as chickenpox. The virus remains dormant in your body and can reactivate years later as shingles, with the risk increasing sharply after age 50.

Adults over 18 who are immunocompromised are also at increased risk for shingles and should ask their doctor about vaccination.

Shingles is a painful, blistering rash that can take 2 to 4 weeks to clear up

The rash usually develops in a single stripe on one side of the body.



Shingles is like shooting shocks through your body. I needed my husband's help for everything... it was devastating.




Linda Former Shingles Sufferer Your experience may vary.

Shingles pain can be unbearable, making work difficult and even simple household tasks a challenge. While pain persists, some may even struggle to take care of their families.

Over 50? Don't wait.

Ask your doctor or pharmacist about shingles vaccination today.



*Individual patients' symptoms of shingles may vary.





Shingles pain can be excruciating and often lasts for weeks, making it difficult to get through the day. It can cause you to miss out on many moments with your family and friends.

As you get older, the risk of getting serious complications from shingles increases

1 in 10 people with shingles develop severe, often debilitating, nerve pain that can last for months or years after the rash is gone. In rare cases, a shingles rash around the eye or ear can cause vision or hearing loss.

Over 50? Don't wait.

Ask your doctor or pharmacist about shingles vaccination today.



Trademarks are owned by or licensed to the GSK group of companies.



2023 GSK or licensor. ZUBROC230002 September 2023 roduced in USA. 0002-0026-26